Jacobsen®

Shaw EcoWorx Carpet Tile with Solution Q Yarn

- Green Building Summary Sheet



Product Name Shaw EcoWorx Carpet Tile with Solution Q Yarn

Document Type Green Building Rating Compatibility Analysis

Document Code ES-GSNZ-09-10j
Client Jacobsen
Date Published 07/04/2025

Shaw EcoWorx carpet tile with solution Q yarn includes a 100% Thermoplastic polyolefin compound backing with a high performance precoat and a reinforcing layer for superior delamination strength. The surface fibre is nylon 6. The product has low VOC emissions in accordance with Green Label Plus certification and is Cradle-2-Cradle V4 (pilot) certified which carries an RPV of 18 in accordance with the GBCA Responsible Product's Score Checker at the time of publishing.





Green Star Buildings NZ	Credit 09 Credit 13	Up to 2 points Minimum expectation achieved
Green Star Design & As Built NZ (V1)	Credit 13 Credit 20 Credit 21	1 point 1 point Sustainability Factor (SF) = 1
Green Star Interiors NZ (V1)	Credit 12 Credit 20 Credit 21	2 points 1 point Sustainability Factor (SF) = 1
Green Star Performance NZ (V1)	Credit 21	1 point



Homestar V5	HC 7 EN3	1 point 1.5 points
Homestar V4	MAT-1	2 points

Manner in which the product may contribute towards points	Legend of Symbols in EnviroSpec
Products must meet specific criteria (e.g. Paint VOC emissions, carpets, etc)	√
Products may help achieve points by their very nature, if they are specified and installed (e.g. bicycle racks)	•
Products may help achieve an outcome but they must be used in a specific manner (e.g. lighting control and zoning systems) OR The nominated product(s) can contribute towards the outcome but many other products or factor influence that same outcome (E.g. Potable Water Calculator)	0

Disclaimer - Please read this carefully

Each Building Environmental Rating Tool and Scheme nominated herein is owned and operated by its respective operative organisation, independently of EnviroSpec Ltd., and EnviroSpec Ltd. equally operates independently of any nominated rating scheme. The information represented on EnviroSpec is not endorsed by any of these organisations in a direct manner and any decision regarding final approval or refusal of points and certifications where the nominated product(s) is used is at the final discretion of the respective owners and operators of the nominated Building Environmental Rating Schemes, and any network of assessors or auditors that are accredited to operate under their assessment structure, in accordance with all associated technical manuals, rules and guidelines. For detailed technical information about each Building Environmental Rating Scheme and product related criteria please refer to the appropriate technical manuals. EnviroSpec does not accept liability for any loss or damages resulting from the use of this document and emphasizes that this document is provided as guidance only, Use of, or reliance upon, any information contained in this report is at the user's own risk. The information presented in this report is valid for the Building Environmental Rating Schemes and Tools nominated herein only. As and when the respective owners and operators publish updates or new standards or guidelines, the information may require updating. EnviroSpec Ltd. will only update information in this report upon receiving written consent from the Manufacturer, Supplier or upon request from an operative organisation of one of the Building Environmental Rating Tools nominated herein. It is the responsibility of the reader to check for regular updates.



Rating Tool	Credit / category	Points available	Requirements	Contribution symbol	Contribution Potential	Details of compliance
	Credit 09	2	The building's internal finishes are comprised of responsibly manufactured products.	✓	Up to 2 points	The nominated product holds Cradle-2-Cradle V4 (pilot) Silver certification which carries an RPV of 17
Green Star Buildings NZ	Credit 13	2	The building's occupants are not directly exposed to toxins in the spaces they spend time in. Minimum Expectation – It is a mandatory minimum (nil points awarded) that the building's paints, adhesives, sealants, carpets, and engineered wood products are low in TVOC or non-toxic (i.e meet the low VOC and Formaldehyde thresholds stated in the Green Star submission guidelines); and occupants are not exposed to banned or highly toxic materials in the building (i.e a survey on any existing buildings or structures is undertaken and any identified asbestos, lead, or PCBs is stabilised or removed and disposed of in accordance with best practice guidelines.) Credit Achievement – 2 points are available if on-site tests verify the building has low Volatile Organic Compounds (VOC) and formaldehyde levels. Testing must take place after practical completion and prior to occupants moving into the building, and in accordance with the criteria stated in the Green Star submission guidelines.	•	Minimum expectation achieved	The nominated product holds Green Label Plus certification. VOC test results undertaken to ASTM D5116 as part of the Green Label Plus certification show: • TVOC < 0.5mg/m2/hr, and • 4-Phenylcyclohexene < 0.05mg/m2/hr thus demonstrating compliance with the VOC emissions criteria of Green Star NZ. Note: achieving the minimum expectation here is dependent on the remaining products in the category also being compliant.



Rating Tool	Credit / category	Points available	Requirements	Contribution symbol	Contribution Potential	Details of compliance
	Credit 13	2	This credit rewards the use of low VOC and low formaldehyde interior products and finishes that safeguard occupant health through the reduction in internal air pollutant levels. - 1 point is available where at least 95% of all internally applied paints, adhesives, sealants and carpets meet stipulated 'Total VOC Limits', or, where no paints, adhesives, sealants or carpets are used in the building. - 1 point is available where at least 95% of all engineered wood products meet stipulated formaldehyde limits or no new engineered wood products are used in the building.	•	1 point	The nominated product holds Green Label Plus certification. VOC test results undertaken to ASTM D5116 as part of the Green Label Plus certification show: TVOC < 0.5mg/m2/hr, and 4-Phenylcyclohexene < 0.05mg/m2/hr thus demonstrating compliance with the VOC emissions criteria of Green Star NZ. Note: achieving 1 point here is dependent on the remaining products in the category also being compliant.
Green Star Design & As Built NZ (V1)	Credit 20	3	This credit rewards projects that achieve a reduced environmental impact in the sourcing of steel, timber and PVC. Steel - 1 point is available where 95% of the building's steel (by mass) is sourced from a Responsible Steel Maker (manufacturer); and For steel framed buildings - at least 60% of the fabricated structural steelwork is supplied by a responsible steel fabricator/steel contractor. For concrete framed buildings - at least 60% (by mass) of all reinforcing bar and mesh is produced using energy-reducing processed in its manufacture holds Environmental Choice EC-41-15 certification. Timber - 1 point is available where at least 95% (by cost) of all timber used in the building and construction works is either certified by a recognised forest certification scheme, or is from a reused source. PVC - 1 point is available where 90% (by cost) of all permanent formwork, pipes, flooring, blinds and cables in a project are either PVC free, or meet the GBCA's Best Practice Guidelines for PVC.	✓	1 point	This flooring product is PVC free, which may help contribute up to 1 point provided the user also specifies other relevant items to ensure > 90% of products by cost comply.
	Credit 21	3	This credit rewards the selection of products that meet transparency and sustainability requirements. Points are awarded based on the Project Sustainability Value (PSV*) and comparing it with the Project Contract Value (PCV). Benchmarks are: - 1 point is awarded if PSV > 3% of PCV - 1 point is awarded if PSV > 6% of PCV - 1 point is awarded if PSV > 9% of PCV The Project Sustainability Value is the sum of all the compliant product's "Product Sustainability Value" (PSV). The PSV = Sustainability Factor x cost of product	✓	Sustainability Factor (SF) = 1	This flooring product holds a level A approved eco-label, therefore the Product Sustainability Value (PSV) can be calculated as: "Product Cost x 1".



Rating Tool	Credit / category	Points available	Requirements	Contribution symbol	Contribution Potential	Details of compliance
	Credit 12	6	This credit rewards the use of plants, as well as low VOC and low formaldehyde interior products and finishes that safeguard occupant health through the reduction in internal air pollutant levels. - 2 points are available where at least 95% of all internally applied paints, adhesives, sealants and carpets meet stipulated 'Total VOC Limits', or, where no paints, adhesives, sealants or carpets are used in the building. - 2 points are available where at least 95% of all engineered wood products meet stipulated formaldehyde limits or no new engineered wood products are used in the building. - 2 points are available where indoor plants are distributed across the nominated area and are regularly maintained.	✓	2 points	The nominated product holds Green Label Plus certification. VOC test results undertaken to ASTM D5116 as part of the Green Label Plus certification show: TVOC < 0.5mg/m2/hr, and 4-Phenylcyclohexene < 0.05mg/m2/hr thus demonstrating compliance with the VOC emissions criteria of Green Star NZ. Note: achieving 2 points here is dependent on the remaining products in the category also being compliant.
Green Star Interiors NZ (V1)	Credit 20	2	This credit rewards projects that achieve a reduced environmental impact in the sourcing of timber and PVC. Timber - 1 point is available where at least 95% (by cost) of all timber used in the building and construction works is either certified by a recognised forest certification scheme, or is from a reused source. PVC - 1 point is available where 90% (by cost) of all permanent formwork, pipes, flooring, blinds and cables in a project are either PVC free, or meet the GBCA's Best Practice Guidelines for PVC.	✓	1 point	This flooring product is PVC free, which may help contribute up to 1 point provided the user also specifies other relevant items to ensure > 90% of products by cost comply.
	Credit 21	19	This credit rewards the selection of products that meet transparency and sustainability requirements. Points are awarded based on the Project Sustainability Value (PSV*) and comparing it with the Total Materials Cost (TMC). Benchmarks are: - 3.8 points are awarded if PSV > 20% of TMC - 7.2 points are awarded if PSV > 40% of TMC - 11.4 points are awarded if PSV > 60% of TMC - 15.2 points are awarded if PSV > 80% of TMC - 19 points are awarded if PSV = 100% of TMC The Project Sustainability Value is the sum of all the compliant product's "Product Sustainability Value" (PSV). The PSV = Sustainability Factor x cost of product	✓	Sustainability Factor (SF) = 1	This flooring product holds a level A approved eco-label, therefore the Product Sustainability Value (PSV) can be calculated as: "Product Cost x 1".



Rating Tool	Credit / category	Points available	Requirements	Contribution symbol	Contribution Potential	Details of compliance
Green Star Performance NZ (V1)	Credit 21	3	This credit rewards the measurement and reduction of the environmental impacts of materials in building operations, maintenance and upgrades. Benchmarks are: - 1 point is awarded for developing a sustainable procurement framework - 1 point is awarded where the top 3 consumable materials are purchased in accordance with the procurement framework - 1 point is awarded where refurbishment and maintenance materials are purchased in accordance with the procurement framework. Refurbishment materials - This includes at a minimum: - Paints adhesives, sealants and carpets (to comply with Green Star V3 "Low emitting materials"), - Concrete (to comply with Green Star V3 "Concrete and Aggregate"), - Steel (to comply with Green Star V3 "Steel"). * Note: This credit can, if desired, be extended to include doors, wall finishes and paneling, wall and roof insulation, carpet, floor tiles, ceiling tiles, light fixtures and any other building component owned by the building owner (e.g. roof replacement, built in furniture and joinery, etc) This only applies if the refurbishment work is > \$5/m2, otherwise the credit is deemed N/A	✓	1 point	The nominated product holds Green Label Plus certification. VOC test results undertaken to ASTM D5116 as part of the Green Label Plus certification show: • TVOC < 0.5mg/m2/hr, and • 4-Phenylcyclohexene < 0.05mg/m2/hr thus demonstrating compliance with the VOC emissions criteria of Green Star NZ. Note: achieving points here is dependent on the remaining products in the category also being compliant.

Rating Tool	Credit / category	Points available	Requirements	Contribution symbol	Contribution Potential	Details of compliance
	HC7	4	This credit rewards the use of low VOC and low formaldehyde interior products and finishes. The following interior finish categories are worth 1 point each provided > 80% of product compliance is achieved: Engineered wood, applied coatings, flooring products, sealants and adhesives.	✓	1 point (out of 1 points available for flooring products)	The nominated product holds Green Label Plus certification, which a recognized IAQ Scheme under Homestar.
Homestar V5	EN3	10	This credit rewards the selection of eco-preferred and responsibly sourced materials, with twelve possible material categories eligible for up to 1.5 points each, provided > 50% of product compliance is achieved based on the relative weighting of individual product ecolabel certifications.	~	1.5 points (out of 1.5 points available for this material category)	This flooring product holds a level A approved eco-label.
Homestar V4	MAT-1	10	This credit rewards the use of eco-preferred and responsibly sourced materials. Flooring products are one of thirteen possible material categories eligible for 2 points each.	✓	2 points (out of 2 points available for floor coverings)	Homestar TQ 220 published 10/24 clarifies an equivalency whereby an RPV may be converted to the previous levels A, B and C. RPV 10 or above = Level A RPV 7 - 9 = Level B RPV 5 - 6 = Level C The nominated product achieves an RPV of 17 in accordance with the GBCA Score-checker, therefore 2 points can be claimed.
	MAT-2	4	This credit rewards the use of low VOC and low formaldehyde interior products and finishes. Floor coverings are one of four material categories eligible for 1 point each.	✓	1 point (out of 1 point available for flooring)	The nominated product holds Green Label Plus certification, which a recognized IAQ Scheme under Homestar.