

## ColorCote MagnaFlow Pacific Coilcoaters

Final Assembly: Auckland, New Zealand

**Life Expectancy:** 50+ Year(s)

**Embodied Carbon:** 11 KgCO2e/m2 (0.40 mm), 14.4KgCO2e/m2

(0.55 mm)

Declared Unit: 1 m2

End of Life Options: Salvageable/Reusable in its Entirety

## **Ingredients:**

Iron: Iron; Zinc: Zinc; Copolymer of Acrylic and melamine resin: Undisclosed (0.65%)<sup>1</sup>; Aluminum: Aluminum; Manganese: Manganese; Copolymer of Polyester and melamine resin: Undisclosed (0.34%)<sup>1</sup>; Magnesium: Magnesium; Titanium Dioxide: Titanium dioxide; Carbon: Graphite; Silicon: Silicon; Phosphorus: Phosphorus; Sulphur:

Sulfur, Elemental

<sup>1</sup>LBC Temp Exception RL-004b - Proprietary Ingredients in Declare

## Living Building Challenge Criteria: Compliant

## I-13 Red List:

□ LBC Red List Free % Disc

■ LBC Red List Approved

% Disclosed: 99.01% at 100ppm VOC Content: Not Applicable

□ Declared

I-10 Interior Performance: Not Applicable I-14 Responsible Sourcing: Not Applicable

PCC-0001 EXP. 01 MAY 2026 Original Issue Date: 2021